



2226 Queen Anne Ave N.  
Seattle, WA 98109, USA  
Ph (866) 282-3384  
Fax (206) 282-0105  
www.silverfernchemical.com

## Typical Specification

### Glycol Ether DMP Acetate

#### Typical Properties:

Specific gravity (20/20°C)	0.977
Density @ 20°C	8.17 lb/gal
Viscosity (@ 25°C, cP)	1.7
Specific heat (J/g/°C @ 25°C)	1.94
Heat of vaporization (J/g) at normal boiling point	241
Net heat of combustion (kJ/g) – predicted @ 25°C	25.4
Autoignition temperature	545° F 285°C
Evaporation rate (n-butyl acetate = 1.0)	0.015
Hansen solubility parameters (J/cm <sup>3</sup> ) <sup>1/2</sup>	
_d (Dispersion)	15.1
_p (Polar)	5.3
_h (Hydrogen bonding)	4.3
Flammable limits (vol.% in air)	
Lower (@ 150 C)	1.21
Upper (@150 C)	5.35

*This specification is presented for informational purposes only. Please check with your sales representative for current specification at time of ordering. The information listed is believed to be reliable. No warranty, expressed or implied, is made to the accuracy or completeness of this information or the material or its fitness for use. The seller is not responsible for damage resulting from its use. Nothing herein shall be construed as a recommendation for use in violation of any patent. Purchasers shall conduct their own tests to determine the suitability of much products for particular purposes.*