



2226 Queen Anne Ave N.  
Seattle, WA 98109, USA  
Ph (866) 282-3384  
Fax (206) 282-0105  
www.silverfernchemical.com

## Typical Specification

### Butyl Acrylate

Item	Specification
Assay, % min	99.5
Furfural, ppm max	—
Acidity, % max	0.009
Water, % max	0.05
Color, APHA	5-10
Inhibitor, ppm	10-20
MEHQ	45-55
Refractive Index, n <sub>25D</sub>	1.4160
Specific Gravity, 25°C/15.6°C	0.894
Density, lbs/US gal	7.5
Flash Point*	39(PM) 102
	°C °F
Freezing Point, °C	-64
Boiling Point, °C 760mm	147
Viscosity, cps	0.81
Tg, °C	-54
Recommended Storage Life,** years max	1

\* Flash Point Method: PM = Pensky-Martens Closed Cup

*This specification is presented for informational purposes only. Please check with your sales representative for current specification at time of ordering. The information listed is believed to be reliable. No warranty, expressed or implied, is made to the accuracy or completeness of this information or the material or its fitness for use. The seller is not responsible for damage resulting from its use. Nothing herein shall be construed as a recommendation for use in violation of any*

*patent. Purchasers shall conduct their own tests to determine the suitability of much products for particular purposes.*

